

ECH-24PT

Distribution box



ETI Code:	001101063
Type of door:	Transparent door
Catalogue Group:	ECH wall mounted plastic distribution boxes IP65
Rows (legacy):	2
Type of Installation:	Surface mounted
IP rating:	IP65
Frame size (Nr. of rows):	2
No. of modules (total/per row):	24/12
Door (material, color):	transparent, plastic
Enclosure base (material, color):	plastic, grey
Number of PE/N terminals (connections):	15
Glow wire test (°C):	650 °C
Rated DC voltage:	1500 V
Rated current:	63 A
Rated AC voltage:	400 V

[Online product page](#) 

Documents



TECHNICAL DATA CATALOG



INSTRUCTION MANUAL



CE DECLARATION



2D FILE



3D FILE



EPLAN FILE

ETIM

Width	319 mm
DIN-rail	Yes
Type of covering	Door
Neutral terminal block	Yes
Transparent cover/door	Yes
Degree of protection (IP)	IP65
Mounting method	Surface mounted
Signal passing door	Yes
Earthing terminal block	Yes
UV resistant	Yes
Number of rows	2
Housing material	Plastic
Depth	144 mm
Colour	Grey
Type of door	Single
Cover model	Closed
Height	384 mm
Width in number of modular spacings	24
RAL-number	7,035

Logistics

Product

Net depth	149.78 mm
Net weight of the product	1.895 kg
Net width	318.6 mm
Net height	383.5 mm
Stock unit of measure	pcs

Basic Packaging

EAN code for a basic packaging	3838895551775
Basic packaging weight	1.895 kg
Basic Packaging Dimensions Depth	142 mm
Basic Packaging Dimensions Height	318 mm
Basic packaging volume	17.295 dm³
Basic Packaging Dimensions Width	383 mm
Basic packaging quantity	1 pcs

Transport Packaging

Transport packaging weight	10.157 kg
Transport packaging volume	101.682 dm³
Transport packaging quantity	5 pcs
Customs tariff	85381000
Transport Packaging Dimensions Height	763 mm
Transport Packaging Dimensions Width	399 mm
Transport Packaging Dimensions Depth	334 mm
EAN code for a transport packaging	3838895551782
Pallet quantity	90 pcs

Dimension