

HVL EK 00 3p M8

Fuse switch disconnecter



ETI Code:	001701250
Type of Installation:	Base plate mounting
Type description:	HVL
Size:	NH00
Rated current:	160 A
Number of poles:	3
Rated AC voltage:	690 V
Utilization category:	AC-22B
Type (Legacy):	HVL

[Online product page](#)

Documents



TECHNICAL DATA CATALOG



INSTRUCTION MANUAL



CE DECLARATION



2D FILE



3D FILE



EPLAN FILE

ETIM

Version as safety switch	Yes
Suitable for floor mounting	Yes
Rated permanent current I _n	160 A
Suitable for fuses	NH000, NH00
Type of control element	Cover grip
Type of electrical connection of main circuit	Screw connection
Number of poles	3
Version as main switch	Yes

Logistics

Product

Net depth	80.19 mm
Net weight of the product	0.52 kg
Net width	106.4 mm
Net height	157 mm
Stock unit of measure	pcs

Basic Packaging

EAN code for a basic packaging	3838895622413
Basic packaging weight	0.66 kg
Basic Packaging Dimensions Depth	170 mm
Basic Packaging Dimensions Height	90 mm
Basic packaging volume	1.454 dm³
Basic Packaging Dimensions Width	95 mm
Basic packaging quantity	1 pcs

Transport Packaging

Transport packaging weight	13.78 kg
Transport packaging volume	57.96 dm³
Transport packaging quantity	20 pcs
Customs tariff	85365080
Transport Packaging Dimensions Height	350 mm
Transport Packaging Dimensions Width	360 mm
Transport Packaging Dimensions Depth	460 mm
EAN code for a transport packaging	3838895622420
Pallet quantity	200 pcs