




PS ETIMAT 10 MD

Auxiliary switch

ETI Code:	002159031
Catalogue Group:	Accessories ETIMAT 6/10
Function accessories:	Auxiliary switch
Application:	EN 62019
Function:	Auxiliary switch
Rated Frequency:	50/60 Hz
Rated cross section:	1-4 mm ²
No. of NC contacts:	1
No. of NO contacts:	1
Standards:	EN 62019
To use with:	ETIMAT 6

Online product page [🔗](#)

Documents



TECHNICAL DATA CATALOG



INSTRUCTION MANUAL



CE DECLARATION



2D FILE



3D FILE



EPLAN FILE

ETIM

Voltage type	AC
Number of contacts as normally closed contact	1
Device fitting	Miniature circuit breaker (MCB)
Suitable for max. number of poles main contact unit (total)	4
Rated switch current	6 A
Number of contacts as normally open contact	1
Rated voltage	230 V
Suitable for max. current main contact unit	63 A
Function	Auxiliary switch

Logistics

Product

Net depth	72.58 mm
Net weight of the product	0.05 kg
Net width	16.7 mm
Net height	85.4 mm
Stock unit of measure	pcs

Basic Packaging

EAN code for a basic packaging	3838895307020
Basic packaging weight	0.058 kg
Basic Packaging Dimensions Depth	20 mm
Basic Packaging Dimensions Height	75 mm
Basic packaging volume	0.136 dm³
Basic Packaging Dimensions Width	91 mm
Basic packaging quantity	1 pcs

Transport Packaging

Transport packaging weight	0.766 kg
Transport packaging volume	0.002 m³
Transport packaging quantity	12 pcs
Customs tariff	85365080
Transport Packaging Dimensions Height	0.081 m
Transport Packaging Dimensions Width	0.123 m
Transport Packaging Dimensions Depth	0.216 m
EAN code for a transport packaging	3838895307037
Pallet quantity	3,600 pcs

Dimension

