

CRM-93H UNI

Time relay



ETI Code:	002470002
Type (Legacy):	Multifunction time relay CRM 91H, CRM-93H
Type of Installation:	TH 35
Category:	Multifunction time relay CRM 91H, CRM-93H
Catalogue Group:	Twilight and staircase switches
Time range:	0.1 s-10 days
Type description:	Multifunction time relay CRM 91H, CRM-93H
Catalogue Subgroup:	Multifunction time relay
Voltage type:	AC/DC
Number of contacts:	3
No. of CO contacts:	1
Function:	Time relay
Maximum load capacity at AC1:	2,000 VA
Number of Functions:	10
Supply Voltage:	12-240 V
Rated current:	8 A

[Online product page](#)

Documents



TECHNICAL DATA CATALOG



INSTRUCTION MANUAL



CE DECLARATION



2D FILE



3D FILE



COM_ETIPRODUCT_DOCUMENTS_DESCRIPTOR



EPLAN FILE

ETIM

1st interval unit	Seconds/hours
Mounting method	DIN rail
Supply voltage(Min)	12 V
Voltage type (supply voltage)	AC/DC
1st interval(Min)	0.1
Type of excitation	Digital with multi function
Supply voltage(Max)	240 V
Built-in height	65 mm
Number of changeover switches	3
1st interval(Max)	240
Nominal switching current at 250 V AC	8 A
Function	Multi function
Width in number of modular spacings	1

Logistics

Product

Net depth	64.09 mm
Net weight of the product	0.098 kg
Net width	17.5 mm
Net height	91.3 mm
Stock unit of measure	pcs

Basic Packaging


EAN code for a basic packaging	8594030338308
Basic packaging weight	0.098 kg
Basic Packaging Dimensions Depth	70 mm
Basic Packaging Dimensions Height	25 mm
Basic packaging volume	0.17 dm³
Basic Packaging Dimensions Width	97 mm
Basic packaging quantity	1 pcs

Transport Packaging

Transport packaging weight	0.983 kg
Transport packaging volume	2.173 dm³
Transport packaging quantity	10 pcs
Customs tariff	85364900
Transport Packaging Dimensions Height	102 mm
Transport Packaging Dimensions Width	284 mm
Transport Packaging Dimensions Depth	75 mm
EAN code for a transport packaging	3838895231202
Pallet quantity	4,600 pcs

Symbol connection

CRM-93H



Dimension

