

TER-7

Control relay



ETI Code:	002471804
Type (Legacy):	Thermostat for monitoring temperature of motor winding TER-7
Category:	Thermostat for monitoring temperature of motor winding TER-7
Catalogue Group:	Temperature monitoring relays
Rated Frequency:	50 Hz
Type description:	Thermostat for monitoring temperature of motor winding TER-7
Catalogue Subgroup:	Thermostat for monitoring temperature of motor winding
Function:	Monitoring and Control relays
Supply Voltage:	24-240 V
Sensor Type:	PTC temperature of motor winding
Number of contacts:	2
Rated current:	8 A
Voltage type:	AC/DC
No. of CO contacts:	1
Maximum load capacity at AC1:	2,000 VA

Online product page [🔗](#)

Documents



TECHNICAL DATA CATALOG



INSTRUCTION MANUAL



CE DECLARATION



2D FILE



3D FILE



EPLAN FILE

ETIM

Rated voltage(Max)	230 V
Model	Digital
Assembly depth	65 mm
Rated frequency(Min)	50 Hz
Rated frequency(Max)	50 Hz
Nominal switching current at 250 V, potential free	16 A
Rated voltage(Min)	24 V
Width in number of modular spacings	1

Logistics

Product

Net depth	64.09 mm
Net weight of the product	0.13 kg
Net width	17.5 mm
Net height	91.3 mm
Stock unit of measure	pcs

Basic Packaging

EAN code for a basic packaging	3838895424208
Basic packaging weight	0.091 kg
Basic Packaging Dimensions Depth	70 mm
Basic Packaging Dimensions Height	25 mm
Basic packaging volume	0.17 dm³
Basic Packaging Dimensions Width	97 mm
Basic packaging quantity	1 pcs

Transport Packaging

Transport packaging weight	1.4 kg
Transport packaging volume	2.173 dm³
Transport packaging quantity	10 pcs
Customs tariff	85364900
Transport Packaging Dimensions Height	102 mm
Transport Packaging Dimensions Width	284 mm
Transport Packaging Dimensions Depth	75 mm
EAN code for a transport packaging	3838895424222
Pallet quantity	4,600 pcs