


SER1-230ACDC

Relay



ETI Code:	002473053
No. of CO contacts:	1
Maximum load capacity at AC1:	1,500 VA
Function:	Slim relay
Output circuit:	Electric
Uc rated coil voltage:	230 V
Number of contacts:	1
Rated current:	6 A
Switching voltage:	250 V
Voltage type:	AC/DC
Type of contacts:	1xCO
Catalogue Group:	Slim relay

[Online product page](#)

Documents



TECHNICAL DATA CATALOG



CE DECLARATION



2D FILE



3D FILE



EPLAN FILE

Logistics

Product

Net depth	81.1 mm
Net weight of the product	0.04 kg
Net width	6.1 mm
Net height	97 mm
Stock unit of measure	pcs
EAN code for a single product	3838400013958


Basic Packaging

EAN code for a basic packaging	3838895761570
Basic packaging weight	0.4 kg
Basic Packaging Dimensions Depth	103 mm
Basic Packaging Dimensions Height	68 mm
Basic packaging volume	0.63 dm³
Basic Packaging Dimensions Width	90 mm
Basic packaging quantity	10 pcs

Transport Packaging


Transport packaging weight	4.3 kg
Transport packaging volume	13.782 dm³
Transport packaging quantity	100 pcs
Customs tariff	85364900
Transport Packaging Dimensions Height	205 mm
Transport Packaging Dimensions Width	166 mm
Transport Packaging Dimensions Depth	405 mm
EAN code for a transport packaging	3838895761594
Pallet quantity	3,600 pcs

Dimension



Symbol connection

SER1-024ACDC



SER1-230ACDC

