


EFD 22 1p

Fuse disconnecter



ETI Code:	002570001
Catalogue Group:	LV-fuse-switch disconnecter
To use with:	CH fuse-links
Product group:	LV-fuse-switch disconnecter
Overvoltage Category:	III
Type description:	EFD
Size:	22x58
Type of Installation:	DIN rail
Number of poles:	1
Rated AC voltage:	690 V
Utilization category:	AC-21B
Rated current:	100 A
Ambient temperature:	-5/40 °C
Standards:	IEC60947-1, IEC60947-3
Application:	Residential and industrial installation
IP rating:	IP20

Online product page [🔗](#)

Documents



TECHNICAL DATA CATALOG



CE DECLARATION



CERTIFICATE



2D FILE



3D FILE



EPLAN FILE

ETIM

Built-in depth	69 mm
For fuse size	22x58 mm
Degree of protection (IP)	IP20
Mounting method	DIN rail
Nominal voltage	690 V
Number of poles	1
Width in number of modular spacings	2

Logistics

Product

Net depth	75.84 mm
Net weight of the product	156 g
Net width	35.6 mm
Net height	120.4 mm
Stock unit of measure	pcs
EAN code for a single product	3838895745082


Basic Packaging

EAN code for a basic packaging	3838895699606
Basic packaging weight	0.502 kg
Basic Packaging Dimensions Depth	126 mm
Basic Packaging Dimensions Height	82 mm
Basic packaging volume	1.157 dm³
Basic Packaging Dimensions Width	112 mm
Basic packaging quantity	3 pcs

Transport Packaging

Transport packaging weight	18.377 kg
Transport packaging volume	0.03 m³
Transport packaging quantity	105 pcs
Customs tariff	85389099
Transport Packaging Dimensions Height	0.215 m
Transport Packaging Dimensions Width	0.37 m
Transport Packaging Dimensions Depth	0.375 m
EAN code for a transport packaging	3838895699613
Pallet quantity	1,680 pcs

Dimension



	B
EFD 22, J30 1p	35,6
EFD 22 1p+N	71,2
EFD 22, J30 2p	71,2
EFD 22, J30 3p	106,8
EFD 22 3p+N	142,4