

CH10x38 aR 32A/600V

Fuse link



ETI Code:	002625015
Catalogue Group:	Semiconductor Protection
Fuse type:	CH
Product group:	Semiconductor Protection
Type description:	CH
Type (Legacy):	CH
Size:	10x38
Rated current:	32 A
Rated AC voltage:	600 V
Time-Current Characteristic:	aR
Breaking capacity AC:	200 kA
Breaking capacity DC:	50 kA
Application:	For protection of semiconductor devices
Power dissipation:	7.5 W
Operating joule integral (A2s):	600
Standards:	IEC 60269-4

[Online product page](#)

Documents



TECHNICAL DATA CATALOG



INSTRUCTION MANUAL



2D FILE



3D FILE



EPLAN FILE

ETIM

Size	10x32 mm
Breaking capacity	200 kA
Rated current	32 A
Utilization category	Other

Logistics


Product

Net depth	10.2 mm
Net weight of the product	0.026 kg
Net width	10.2 mm
Net height	38.2 mm
Stock unit of measure	pcs
EAN code for a single product	3838895362845


Transport Packaging

Transport packaging weight	0.341 kg
Transport packaging volume	0.04 dm³
Transport packaging quantity	10 pcs
Customs tariff	85361050
EAN code for a transport packaging	3838895356226
Pallet quantity	75,000 pcs


I/t characteristic



Dimension



Size	a	b	c	d
10x38	38	10,5	10,3	6
14x51	51	13,8	14,3	7,5
22x58	58	16,2	22,3	11



Energy characteristic

