




CH10x38 gPV 12A/1000V DC

Fuse link

ETI Code:	002625077
Type (Legacy):	CH
Product subgroup:	PV
Catalogue Group:	Special purpose fuses
Product group:	Special purpose fuses
Type description:	CH
Catalogue Subgroup:	PV Fuse
Fuse type:	CH
Size:	10x38
Rated current:	12 A
Rated DC voltage:	1000 V
Time-Current Characteristic:	gPV
L/R:	2 ms
Breaking capacity DC:	30 kA
Application:	For protection of photovoltaic modules
Power dissipation (0,7xIn):	0.8 W
Power dissipation:	1.9 W
Operating joule integral (A2s):	73
Prearcing joule integral (A2s):	22
Standards:	IEC 60269-6

Online product page 

Documents



TECHNICAL DATA CATALOG



INSTRUCTION MANUAL



CE DECLARATION



2D FILE



3D FILE



EPLAN FILE

ETIM

Voltage type	DC
Model	Ceramic fuse
Size	10x38 mm
Power loss at rated current	1.9 W
Breaking capacity	30 kA
Rated voltage	1,000 V
Rated current	12 A
Utilization category	gPV (photovoltaic protection)

Logistics

Product

Net depth	10.2 mm
Net weight of the product	8.3 g
Net width	10.2 mm
Net height	38.2 mm
Stock unit of measure	pcs
EAN code for a single product	3838400056177


Basic Packaging

EAN code for a basic packaging	3838895672203
Basic packaging weight	0.088 kg
Basic Packaging Dimensions Depth	77.5 mm
Basic Packaging Dimensions Height	11 mm
Basic packaging volume	0.046 dm ³
Basic Packaging Dimensions Width	54 mm
Basic packaging quantity	10 pcs

Transport Packaging

Transport packaging weight	4.481 kg
Transport packaging volume	3.972 dm ³
Transport packaging quantity	500 pcs
Customs tariff	85361050
Transport Packaging Dimensions Height	107 mm
Transport Packaging Dimensions Width	225 mm
Transport Packaging Dimensions Depth	165 mm
EAN code for a transport packaging	3838895672210
Pallet quantity	85,000 pcs

I/t characteristic



Dimension

