

CH22x58 aR 100A/500V

Fuse link



ETI Code:	002645025
Catalogue Group:	Semiconductor Protection
Fuse type:	CH
Product group:	Semiconductor Protection
Type description:	CH
Type (Legacy):	CH
Size:	22x58
Rated current:	100 A
Rated AC voltage:	500 V
Time-Current Characteristic:	aR
Breaking capacity AC:	200 kA
Breaking capacity DC:	50 kA
Application:	For protection of semiconductor devices
Power dissipation:	16 W
Operating joule integral (A2s):	12,500
Standards:	IEC 60269-4

[Online product page](#)

Documents



TECHNICAL DATA CATALOG



INSTRUCTION MANUAL



2D FILE



3D FILE



EPLAN FILE

ETIM

Size	22x58 mm
Breaking capacity	200 kA
Rated current	100 A
Utilization category	Other

Logistics


Product

Net depth	22.2 mm
Net weight of the product	0.061 kg
Net width	22.2 mm
Net height	58 mm
Stock unit of measure	pcs
EAN code for a single product	3838895362739


Transport Packaging

Transport packaging weight	0.44 kg
Transport packaging volume	0.3 dm³
Transport packaging quantity	10 pcs
Customs tariff	85361090
EAN code for a transport packaging	3838895356462
Pallet quantity	11,530 pcs


Dimension



Size	a	b	c	d
10x38	38	10,5	10,3	6
14x51	51	13,8	14,3	7,5
22x58	58	16,2	22,3	11



Energy characteristic



I/t characteristic

