


VS 2,5 PA

Line-up terminal



ETI Code:	003901000
Type (Legacy):	SM Line-up terminals
Type of Installation:	TH 35
Rated AC voltage:	660 V
Rated DC voltage:	660 V
Catalogue Group:	SM Line-up terminals
Type description:	SM Line-up terminals
Level:	Single
Color:	Beige
Rated cross section:	2.5 mm ²
Max current with rated cross-section:	24 mm ²
Connectable conductor cross section solid-core:	3-4 mm ²
Cross connection:	Yes
End section needed:	Yes
Function:	Line-up terminal VS

[Online product page](#) 

Documents



TECHNICAL DATA CATALOG



CE DECLARATION



2D FILE

ETIM

Connectable conductor cross section solid-core(Max)	4 mm²
Width	5 mm
Connectable conductor cross section fine-strand without cable end sleeve(Max)	4 mm²
Material insulation body	Thermoplastic
Rated current In	24 A
Mounting method	DIN rail (top hat rail) 35 mm
Connectable conductor cross section solid-core(Min)	0.5 mm²
Type of electrical connection 1	Clip connection
Closing plate required	Yes
Connectable conductor cross section fine-strand without cable end sleeve(Min)	0.5 mm²
Rated voltage	660 V
Colour	Beige
Height	44 mm

Logistics

Product

Net weight of the product	7.15 g
Stock unit of measure	pcs
EAN code for a single product	3838400080400

Transport Packaging

Transport packaging weight	0.715 kg
Transport packaging volume	1.215 dm³
Transport packaging quantity	100 pcs
Customs tariff	85369010
Transport Packaging Dimensions Height	50 mm
Transport Packaging Dimensions Width	135 mm
Transport Packaging Dimensions Depth	180 mm
EAN code for a transport packaging	3831012323514
Pallet quantity	82,300 pcs