

ES 3243

CEE Socket



ETI Code:	004482004
Rated AC voltage:	400 V
Rated DC voltage:	400 V
Catalogue Group:	Sockets IP44
Function:	Connecting socket IP44
Rated current:	32 A
Type: socket/plug:	Connecting sockets
Number of poles:	3+PE
IP rating:	IP44

[Online product page](#) 

Documents



TECHNICAL DATA CATALOG



CE DECLARATION



2D FILE



EPLAN FILE

ETIM

Degree of protection (IP)

IP44

Voltage according to EN 60309-2

400 V (50+60 Hz) red

Cable entry

Gland nut

Number of poles

4

IEC-amperage

32 A

Insert direction

Straight

Clock hour position

6 h

Connection system

Screwed terminal

Identification colour

Red

Material

Plastic

Logistics

Product

Net weight of the product	0.289 kg
Stock unit of measure	pcs

Basic Packaging

EAN code for a basic packaging	3838895673217
Basic packaging weight	0.29 kg
Basic packaging volume	1.06 dm³
Basic packaging quantity	1 pcs

Transport Packaging

Transport packaging weight	2.61 kg
Transport packaging volume	9.504 dm³
Transport packaging quantity	9 pcs
Customs tariff	85366990
Transport Packaging Dimensions Height	220 mm
Transport Packaging Dimensions Width	240 mm
Transport Packaging Dimensions Depth	180 mm
EAN code for a transport packaging	3838895673224
Pallet quantity	945 pcs

Dimension

ES1632	145	79	64	29	50
ES 1643	145	81,5	56	31,5	50
ES 1653	145	89	64	35	54
ES 3243	175,5	96	65	38	58
ES 3253	179	103	73	41	62

ES 3232	165	93	72	42	51	21

