



BCXMLE 20 (2NO)

Aux.contacts

ETI Code:	004644520
Type of Installation:	Contactor mounting
To use with:	CAEM4, CEM9-CEM250
No. of NO contacts:	2
Function accessories:	Auxiliary contact blocks-lateral
Catalogue Group:	Accessories CEM/CEAM
Function:	Accessories

[Online product page](#) 

Documents



TECHNICAL DATA CATALOG



CE DECLARATION



2D FILE



3D FILE



EPLAN FILE

ETIM

Mounting method

Side mounting

Rated operation current I_e at AC-15, 230 V

6 A

Number of contacts as normally open contact

2

Type of electric connection

Screw connection

Logistics

Product

Net depth	85.8 mm
Net weight of the product	0.015 kg
Net width	21.2 mm
Net height	78 mm
Stock unit of measure	pcs

Basic Packaging

EAN code for a basic packaging	7890355110454
Basic packaging weight	0.053 kg
Basic Packaging Dimensions Depth	20 mm
Basic Packaging Dimensions Height	85 mm
Basic packaging volume	0.153 dm³
Basic Packaging Dimensions Width	90 mm
Basic packaging quantity	1 pcs

Transport Packaging

Transport packaging weight	1.325 kg
Transport packaging volume	6 dm³
Transport packaging quantity	25 pcs
Customs tariff	85365080
Transport Packaging Dimensions Height	50 mm
Transport Packaging Dimensions Width	300 mm
Transport Packaging Dimensions Depth	400 mm
EAN code for a transport packaging	17890355110451
Pallet quantity	4,000 pcs

Dimension

