

# CES 18.10-230V-50/60Hz

## Motor contactor



|                                          |                     |
|------------------------------------------|---------------------|
| ETI Code:                                | 004646533           |
| Rated operation current Ie at AC1:       | 25 A                |
| Rated operation current Ie at AC3, 400V: | 18 A                |
| Rated operational voltage (AC):          | 690 V               |
| Rated control circuit voltage Uc (AC):   | 230 V               |
| Number of poles:                         | 3                   |
| No. of aux NO contacts:                  | 1                   |
| Function:                                | Motor contactor     |
| Catalogue Group:                         | CES Motor contactor |

[Online product page](#) 

## Documents



TECHNICAL DATA CATALOG



INSTRUCTION MANUAL



CE DECLARATION



2D FILE



3D FILE



EPLAN FILE

## Logistics

### Product

|                           |          |
|---------------------------|----------|
| Net depth                 | 81.99 mm |
| Net weight of the product | 0.37 kg  |
| Net width                 | 45 mm    |
| Net height                | 80.4 mm  |
| Stock unit of measure     | pcs      |


### Basic Packaging

|                                   |                      |
|-----------------------------------|----------------------|
| EAN code for a basic packaging    | 3838895748533        |
| Basic packaging weight            | 0.37 kg              |
| Basic Packaging Dimensions Depth  | 82 mm                |
| Basic Packaging Dimensions Height | 89 mm                |
| Basic packaging volume            | 0.35 dm <sup>3</sup> |
| Basic Packaging Dimensions Width  | 48 mm                |
| Basic packaging quantity          | 1 pcs                |

### Transport Packaging

|                                       |                    |
|---------------------------------------|--------------------|
| Transport packaging weight            | 7.8 kg             |
| Transport packaging volume            | 12 dm <sup>3</sup> |
| Transport packaging quantity          | 18 pcs             |
| Customs tariff                        | 85364900           |
| Transport Packaging Dimensions Height | 200 mm             |
| Transport Packaging Dimensions Width  | 200 mm             |
| Transport Packaging Dimensions Depth  | 300 mm             |
| EAN code for a transport packaging    | 3838895748540      |
| Pallet quantity                       | 1,494 pcs          |

## Dimension




### ① Auxiliary switch block

- 1) Minimum clearance from the earthed parts.
- 2) Dimension for the square OFF-button (stroke 3 mm).  
Dimension for the round RESET-button (stroke 2.5 mm)  
less than 2.5 mm.

## Wiring diagram

x.10



x.01

