

# CES 40.00-230V-50/60Hz

## Motor contactor



|                                          |                     |
|------------------------------------------|---------------------|
| ETI Code:                                | 004646554           |
| Rated operation current Ie at AC1:       | 65 A                |
| Rated operation current Ie at AC3, 400V: | 40 A                |
| Rated operational voltage (AC):          | 690 V               |
| Rated control circuit voltage Uc (AC):   | 230 V               |
| Number of poles:                         | 3                   |
| Function:                                | Motor contactor     |
| Catalogue Group:                         | CES Motor contactor |

[Online product page](#)

## Documents



TECHNICAL DATA CATALOG



INSTRUCTION MANUAL



CE DECLARATION



2D FILE



3D FILE



EPLAN FILE

## Logistics

### Product

|                           |          |
|---------------------------|----------|
| Net depth                 | 108.7 mm |
| Net weight of the product | 0.67 kg  |
| Net width                 | 55 mm    |
| Net height                | 102 mm   |
| Stock unit of measure     | pcs      |


### Basic Packaging

|                                   |               |
|-----------------------------------|---------------|
| EAN code for a basic packaging    | 3838895748953 |
| Basic packaging weight            | 0.67 kg       |
| Basic Packaging Dimensions Depth  | 110 mm        |
| Basic Packaging Dimensions Height | 132 mm        |
| Basic packaging volume            | 0.886 dm³     |
| Basic Packaging Dimensions Width  | 61 mm         |
| Basic packaging quantity          | 1 pcs         |


### Transport Packaging

|                                       |               |
|---------------------------------------|---------------|
| Transport packaging weight            | 22 kg         |
| Transport packaging volume            | 54.759 dm³    |
| Transport packaging quantity          | 42 pcs        |
| Customs tariff                        | 85364900      |
| Transport Packaging Dimensions Height | 290 mm        |
| Transport Packaging Dimensions Width  | 415 mm        |
| Transport Packaging Dimensions Depth  | 455 mm        |
| EAN code for a transport packaging    | 3838895748960 |
| Pallet quantity                       | 546 pcs       |

## Wiring diagram



## Dimension



### ① Auxiliary switch block

- 1) Minimum clearance from the earthed parts.
- 2) Dimension for the square OFF-button (stroke 3 mm).  
Dimension for the round RESET-button (stroke 2.5 mm)  
less than 2.5 mm.