

CES-RT0-12,5

Thermal overload relay



ETI Code:	004646595
To use with:	CES 6-CES 18
Function accessories:	Overload relay
Function:	Accessories
Current setting range:	6.3/10 A
Catalogue Group:	Accessories CES

[Online product page](#) 

Documents



TECHNICAL DATA CATALOG



INSTRUCTION MANUAL



CE DECLARATION



2D FILE



3D FILE



EPLAN FILE

Logistics

Product

Net depth	94.6 mm
Net weight of the product	0.14 kg
Net width	44.6 mm
Net height	74.1 mm
Stock unit of measure	pcs

Basic Packaging

EAN code for a basic packaging	3838895749707
Basic packaging weight	0.14 kg
Basic Packaging Dimensions Depth	92 mm
Basic Packaging Dimensions Height	146 mm
Basic packaging volume	0.725 dm³
Basic Packaging Dimensions Width	54 mm
Basic packaging quantity	1 pcs

Transport Packaging

Transport packaging weight	7.88 kg
Transport packaging volume	49.036 dm³
Transport packaging quantity	42 pcs
Customs tariff	85364900
Transport Packaging Dimensions Height	230 mm
Transport Packaging Dimensions Width	410 mm
Transport Packaging Dimensions Depth	520 mm
EAN code for a transport packaging	3838895749714
Pallet quantity	840 pcs

Technical drawing of the NSB0 01740 component, showing front and side views with dimensions.

Front View Dimensions:

- Overall width: 45
- Overall height: 75
- Top edge features: 35 (width), $d \cdot d$ (hole pattern), $\varnothing 5$ (hole diameter), f (fillet radius), $M3,5$ (thread), e (height), 38 (height), 20,5*12 (bottom edge).
- Internal features: $\times$ (cross marks), $\times$ (cross marks).

Side View Dimensions:

- Overall width: 106*
- Overall height: 87,5
- Top edge features: 8 (width), 5 (height).
- Internal features: 1 (numbered circle).

NSB0 01740

3 / 3