



NBS-DA 100-630AF

AC220/230V

Shunt trip unit

ETI Code: 004673215
To use with: NBS 100-630AF
Function accessories: Shunt trip DA AC 220/230V

[Online product page](#) 

Documents



TECHNICAL DATA CATALOG



CE DECLARATION



EPLAN FILE

ETIM

Rated control supply voltage AC 60 Hz(Max)	230 V
Voltage type for actuating	AC
Rated control supply voltage AC 60 Hz(Min)	230 V
Rated control supply voltage AC 50 Hz(Max)	230 V
Rated control supply voltage AC 50 Hz(Min)	230 V
Type of electric connection	Screw connection

Logistics

Product

Net weight of the product	0.106 kg
Stock unit of measure	pcs

Basic Packaging

EAN code for a basic packaging	3838895942429
Basic packaging weight	0.116 kg
Basic packaging volume	0.2 dm³
Basic packaging quantity	1 pcs

Transport Packaging

Transport packaging weight	16.95 kg
Transport packaging volume	0.027 m³
Intermediate packaging weight	1.1 kg
Transport packaging quantity	150 pcs
Intermediate Packaging Dimensions Height	60 mm
Intermediate packaging quantity	10 pcs
Customs tariff	85389099
Intermediate Packaging Dimensions Width	115 mm
Transport Packaging Dimensions Height	265 mm
Transport Packaging Dimensions Width	290 mm
Transport Packaging Dimensions Depth	345 mm
EAN code for a transport packaging	3838400093387
Pallet quantity	6,000 pcs
EAN code for a intermediate packaging	3838895942436
Intermediate Packaging Dimensions Depth	240 mm