

# 35089

## BONDI 1



Contact | Support  
[eglo.com/en/eglo-worldwide](https://eglo.com/en/eglo-worldwide)



### Opšte informacije

Šifra proizvoda  
EAN / UPC

35089  
9002759350895

### Dimenzije

Prečnik artikla (u mm/in)  
Visina artikla (u mm/in)  
Broj baterija  
Prečnik nadstrešnice (u mm/in)

1220  
335  
284  
150

### Ventilator

Vati  
Mesto upotrebe  
Radni napon  
Boja kućišta  
Materijal kućišta  
Boja elise (1)  
Materijal elise  
Pogodan za nagibe do  
Obrtaja u minuti  
Suitable for slopes up to

AC  
52  
220-240V, 50Hz  
beli mat  
ABS, UV zaštita  
weiss matt  
ABS, UV Resistant  
4  
9, 5°  
15

## performanse

3

|                              |       |
|------------------------------|-------|
| Vat/Zapremina vazduha (1)    | 50,23 |
| Obrtaja u minuti (1)         | 235   |
| Zapremina vazduha m3/sat (1) | 12966 |

## Illuminant

|                                                             |                    |
|-------------------------------------------------------------|--------------------|
| Vrsta sijalice 1                                            | LED                |
| Sa sijalicama 1                                             | Da                 |
| Sijalično grlo 1                                            | LED                |
| Snaga u vatima (W) 1                                        | 20                 |
| Light colour 1                                              | TRICOLOUR          |
| Boja svetlosti u kelvinima (K) 1                            | 3000 / 4000 / 5000 |
| Lumena po pojedinačnom izvoru svetlosti /<br>priključku (1) | 2400               |

## Controls

|                        |          |
|------------------------|----------|
| optional controllers   | No       |
| Ugao podešavanja elise | 2        |
| Vrsta baterije         | AAA/LR03 |

## Features

|          |                                                                                    |
|----------|------------------------------------------------------------------------------------|
| Funkcija | sa daljinskim upravljačem<br>kontrola preko daljinskog<br>reverzibilan<br>3 brzine |
|----------|------------------------------------------------------------------------------------|



12966  
m³/h

15°

1 x 20 W

# 35092

## BONDI 1



Contact | Support  
[eglo.com/en/eglo-worldwide](https://eglo.com/en/eglo-worldwide)



### Opšte informacije

Šifra proizvoda  
EAN / UPC

35092  
9002759350925

### Dimenzije

Prečnik artikla (u mm/in)  
Visina artikla (u mm/in)  
Broj baterija  
Prečnik nadstrešnice (u mm/in)

1220  
335  
284  
150

### Ventilator

Vati  
Mesto upotrebe  
Radni napon  
Boja kućišta  
Materijal kućišta  
Boja elise (1)  
Materijal elise  
Pogodan za nagibe do  
Obrtaja u minuti  
Suitable for slopes up to

AC  
52  
220-240V, 50Hz  
crna mat  
ABS, UV zaštita  
schwarz matt  
ABS, UV Resistant  
4  
9, 5°  
15

## performanse

3

|                              |       |
|------------------------------|-------|
| Vat/Zapremina vazduha (1)    | 50,23 |
| Obrtaja u minuti (1)         | 235   |
| Zapremina vazduha m3/sat (1) | 12966 |

## Illuminant

|                                                             |                    |
|-------------------------------------------------------------|--------------------|
| Vrsta sijalice 1                                            | LED                |
| Sa sijalicama 1                                             | Da                 |
| Sijalično grlo 1                                            | LED                |
| Snaga u vatima (W) 1                                        | 20                 |
| Light colour 1                                              | TRICOLOUR          |
| Boja svetlosti u kelvinima (K) 1                            | 3000 / 4000 / 5000 |
| Lumena po pojedinačnom izvoru svetlosti /<br>priključku (1) | 2400               |

## Controls

|                        |          |
|------------------------|----------|
| optional controllers   | No       |
| Ugao podešavanja elise | 2        |
| Vrsta baterije         | AAA/LR03 |

## Features

|          |                                                                                    |
|----------|------------------------------------------------------------------------------------|
| Funkcija | sa daljinskim upravljačem<br>kontrola preko daljinskog<br>reverzibilan<br>3 brzine |
|----------|------------------------------------------------------------------------------------|



12966  
m³/h

15°

1 x 20 W